

Type 3522 Series

Key Features

3 Watts at 70°C

Small size to power ratio

Supplied on tape

Value marked on resistor


Available via distribution

500 volt maximum overload

250 volt working voltage

Terminal finish matte Sn over Ni

AEC-Q200 Qualified



TE Connectivity is pleased to announce that our 3522 series resistor is now AEC-Q200 qualified. This low cost high power device, suitable for auto placement in volume and for most applications, including high frequency operations, owing to the short lead structure is supplied as standard on 7 inch Reels of 2000 pieces per reel.

Characteristics - Electrical

3W
2.5A
10A
250V
500V
500V
-55°C ~ +155°C
70°C
1

^{*} Rated continuous working voltage (RCWV) shall be determined from


RCWV = V(Rated Power x Resistance Value), or Maximum RCWV listed above, whichever is less

**Recommended Circuit Board Design - If this device is anticipated to run at full continuous power then action to improve the cooling should be taken. This can be a metal substrate, copper pad left under the chip, an opening in the PCB or enlarged silver conductor pads each end.




Power derating curve

For resistors operated in ambient temperatures above 70°C, power rating must be derated in accordance with this curve.



Construction and dimensions



$L \pm 0.10$	W ± 0.15	H ± 0.10	€1 ± 0.25	ℓ2 ± 0.20
6.35	3.20	1.10	0.60	1.80

Power rating	Tolerance %	Resistance	Standard series
@70°C		Range	
	Jumper	<50mΩ	
3W	± 1%	1Ω - 10ΜΩ	E96
	± 5%	1Ω - 10ΜΩ	E24



Performance specification

Characteristics	Limits	Test Methods	
		1252, at35% of operating power,	
	±(1%+0.1Ω)max	1000H(1.5 hours "ON", 0.5 hour	
Operational life	_(=/- 0.==-)	"OFF"). (MIL-STD-202)	
	<100mΩ	Apply to rate current for 0Ω	
	12001112	Parametrically test per lot and	
	$1\Omega \le R \le 10\Omega \le \pm 400PPM/^{\circ}C$	sample size requirements, summary	
Temperature	$10\Omega < R \le 100\Omega \le \pm 200 PPM/^{\circ}C$	to show Min, Max, Mean and	
Coefficient of	$100\Omega < R \le 10M\Omega \le 1000 \le 1000$	Standard deviation at room as well as	
Resistance	±100PPM/°C	Min and Max operating	
		temperatures. (User Spec)	
		Electrical test not required. Inspect	
		device construction, marking and	
External Visual	No Mechanical Damage	workmanship	
		(MIL-STD-883 Method 2009)	
		Verify physical dimensions to the	
		applicable device detail specification	
Physical	Reference 2.0 Dimension	Note: User(s) and Suppliers spec.	
dimension	standards	Electrical test not required.	
		(JESD22 MH Method JB-100)	
		Note: Add Aqueous wash chemical –	
Resistance to		OKEM Clean or equivalent.	
solvent	Marking Unsmeared	Do not use banned solvents.	
Solvenie		(MIL-STD-202 Method 215)	
Terminal		Force of 1.8kg for 60 seconds.	
Strength	Not broken	(JIS-C-6429)	
ou ongui		1000hrs. @T=155°C.Unpowered.	
High	±(1%+0.1Ω)max	Measurement at 24±2 hours after	
Temperature		test conclusion.	
Exposure		(MIL-STD-202 Method 108)	
(storage)	<50mΩ	Apply to rate current for 0 Ω	
		1000 Cycles (-55°C to +155°C).	
	Resistance change rate is ±(0.5%+0.1Ω) Max	Measurement at 24±2 hours after	
Temperature		test conclusion	
cycling		(JESD22 Method JA-104)	
	<50mΩ	Apply to rate current for 0 Ω	
Moisture Resistance	Resistance change rate is \pm (0.5%+0.1 Ω) Max.	Temp_(L) ett. 270 25 No. 3 No. 35 No. 35 No. 35 No. 25 No. 25 No. 35 No. 10 No. 35 No. 10 N	
		T=24 hours /cycle. Unpowered.	
		Measurement at 24±2 hours	
		after test conclusion.	
		(MIL-STD-202 Method 106)	
	<50mΩ	Apply to rate current for 0Ω	
		10% rated power, 85°C/85% RH,	
	Pacistance change rate is	1000H,	
Diacod Unmidie	Resistance change rate is	Measurement at 24 hours after test	
Biased Humidity	± (1%+0.1Ω) Max.	conclusion	
1	1	(MIL-STD-202 Method 103)	
		(WILL STD 202 WICKHOO 103)	



Characteristics	Limits	Test Methods		
		Wave Form: Tolerance for half sine		
Mechanical	1/40/ - 0.40\	shock pulse. Peak value is 100g's.		
Shock	±(1%+0.1Ω)max	Normal duration (D) is 6.		
		(MIL-STD-202 Method 213)		
		5g's for 20 min., 12cycle each of 3		
		orientations		
		Note: Use 8"*5"PCB. 031" thick 7		
		secure points on one long side and 2		
Vibration	±(1%+0.1Ω)max	secure points at corners of opposite		
		sides. Parts mounted within 2' from		
		any secure point.		
		Test from 10-2000Hz.		
		(MIL-STD-202 Method 204)		
		-55°C/+155°C, Note: Number of		
		cycles required - 300,		
	±(1%+0.1Ω)max	Maximum transfer time -20 seconds,		
Thermal Shock		Dwell time -15 minutes. Air-Air.		
		(MIL-STD-202 Method 107)		
	<50mΩ	Apply to rate current for 0Ω		
	10011122	With the electrometer in direct		
		contact with the discharge tip, verify		
		the voltage setting at levels of		
		±500V, ±1KV, ±2KV, ±4KV, ±8KV, The		
ESD	±(10%+0.1Ω)max	electrometer reading shall be within		
		±10% for voltages from 500V to		
		≤800V.		
		(AEC-Q200-002)		
		For both leaded & SMD. Electrical		
		test not required.		
		Magnification 50X. Conditions:		
		a) Method B 4hrs at 155°C dry heat,		
Solderability	95% coverage Min.	the dip in bath with 245°C, 5s.		
		b) Method B: at 215°C, 5s.		
		c) Method D: at 260°C, 60s.		
	No ignition of the tissue parer	(J-STD-002)		
Flammability	No ignition of the tissue paper or scorching of the pinewood board	V-0 or V-1 are acceptable. Electrical test not required.		
Fidililiability		The state of the s		
		(UL-94) 2mm (Min) (JIS-C-6429)		
Board Flex	±(1%+0.05Ω)max <50mΩ			
	~5011122	Apply to rate current for 0Ω Temperature sensing at 500°C,		
Flame	No flame	Voltage power subjected to 32VDC		
Retardance	No flame	current clamped up to 500ADC and		
		decreased in 1.0VDC/hour.		
		(AEC-Q200-001)		
	±(1%+0.05Ω) max.	Condition B No per-heat of samples.		
Posistanas to		Note: Single Wave Solder - Procedure 2 for SMD and Procedure 1 for		
Resistance to		Leaded with solder within 1.5mm of		
Soldering Heat				
		device body.		
	4F0m0	(MIL-STD-202 Method 210)		
* CIf+: +	<50mΩ	Apply to rate current for 0 W		
* Sulfuration test: H2S 3~5PPM 50 ±2 91%~93%RH 1000H				



Marking:

Marking for E-96 series in 2512 size: 4 digit marking

First three digits are significant figures of resistance and the fourth digit represents the number of following zeros. N.B. For values below 100Ω the letter R denotes decimal point eg. $1R80 = 1.8\Omega$




Marking for E-24 series in 2512 size: 3 digit marking

First two digits are significant figures, and the third digit represents the number of zeros




Packing specification:

Taping dimensions (mm)




Peeling strength of Top Cover Tape

Test Condition 0.1 to 0.7 N at a peel-off speed of 300mm / min.





Reel dimension (mm)



Qty / Reel	A ±0.5	B ±0.5	C ±0.5	D ±1	M ±2	W ±1
2000	2	13	21	60	178	13.5

Environment Related Substance

This product complies to EU RoHS directive, EU PAHs directive, EU PFOS directive and Halogen free.

Ozone layer depleting substances.

Ozone depleting substances are not used in our manufacturing process of this product.

This product is not manufactured using Chlorofluorocarbons (CFCs), Hydrochlorofluorocarbons (HCFCs), Hydrobromofluorocarbons (HBFCs) or other ozone depleting substances in any phase of the manufacturing process.

Storage Condition

The performance of these products, including the solderability, is guaranteed for a year from the date of arrival at your company, provided that they remain packed as they were when delivered and stored at a temperature of $25^{\circ}\text{C} \pm 10^{\circ}\text{C}$ and a relative humidity of $60\%\text{RH} \pm 10\%\text{RH}$, chemical and dust free atmosphere


Even within the above guarantee periods, do not store these products in the following conditions, otherwise, their electrical performance and/or solderability may be deteriorated, and the packaging materials (e.g. taping materials) may be deformed or deteriorated, resulting in mounting failures.

1. In salty air or in air with a high concentration of corrosive gas, such as Cl2, H2S, NH3, SO2, or NO2

2. In direct sunlight



Recommended solder pad



Α	В	С
3.70	3.30	2.70

4 layers PCB specification:

- 1) Outside 2 layers (Top and Bottom) with copper foil thickness at 2oz.
- 2) Inside 2 layers (Middle layers) with copper foil thickness at 4 oz.

AEC-Q200

The 3522 series is qualified to AEC-Q200 standard at Grade"4"

How To Order

3522	1K0	F	T
Common Part	Resistance Value	Tolerance	Pack Style
	1 ohm 1R0		
3522	1K ohm 1000 ohms 1K0	F – 1% J – 5%	T – 2000 reel
	1 Meg ohm		
	1000000 ohms		
	1M0		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:

352210KJT 3522180KFT 352210KFT 352210KFT 35221K0FT 35221K0FT 35221K1FT 3522200RFT 3522200KFT 3522200KFT 3522150RFT 3522180KJT 3522180KJT 352210RFT 3522200KFT 3522200KFT 3522200KFT 35222M7JT 352213KFT 3522240RFT 352228KJT 35222K7JT 35227K5FT 3522120RJT 3522120KFT 35222K7FT 35224K3FT 3522270RJT 352230RFT 352233RFT 352218RJT 35222820KFT 352233RJT 35223K9JT 3522686KFT 352218RFT 3522680KJT 352230RFT 3522150KJT 352220KFT 35221K3FT 352236KFT 352236KFT 352212RJT 352222KFT 352232K9JT 352222KFT 352232K9JT 352222KFT 3522380RJT 35223R9JT 35223R9JT 3522360KFT 352230KFT 3522110KFT 3522180RJT 35223180RJT 3522370KFT 352236RFT 352236RFT 3522360KFT 352230KFT 352230K