

Solid Tantalum Chip Capacitors TANTAMOUNT[®], Commercial, Surface Mount



PERFORMANCE/ELECTRICAL CHARACTERISTICS

Operating Temperature: -55° C to $+85^{\circ}$ C. (to $+125^{\circ}$ C with voltage derating.) Capacitance Range: 0.10μ F to 680μ F. Capacitance Tolerance: $\pm 20\%, \pm 10\%$ standard. (20% only on P) Compliant Terminations 100% Surge Current Tested (D & E Case Codes). Voltage Rating: 4 WVDC to 50 WVDC.


ORDERING INFORMATION

FEATURES

- · Molded case available in six case codes.
- Compatible with "High Volume" automatic pick and place equipment.
- Optical character recognition qualified.
- Meets IEC Specification QC300801/US0001 and EIA 535BAAC.

OTHER SPECIFCATIONS

CECC		IECQ	
30801-005	793DX	PQC32/GB003	793DX
30801-009	CTC3	300801/FR001	CTC3
30801-011 30801-801	CTC4 793DE		



Note: Preferred Tolerance and reel sizes are in bold.


We reserve the right to supply higher voltage ratings and tighter capacitance tolerance capacitors in the same case size. Voltage substitutions will be marked with the higher voltage rating.

DIMENS	IONS in inc	hes [millimeter	s]				
	→ Min.			→ н тw <			 ₽ <
CASE CODE	EIA SIZE	L	W	н	Р	TW	Тн (Min.)
A	3216	$\begin{array}{c} 0.126 \pm 0.008 \\ [3.2 \pm 0.20] \end{array}$	$\begin{array}{c} 0.063 \pm 0.008 \\ [1.6 \pm 0.20] \end{array}$	$\begin{array}{c} 0.063 \pm 0.008 \\ [1.6 \pm 0.20] \end{array}$	$\begin{array}{c} 0.031 \pm 0.012 \\ [0.80 \pm 0.30] \end{array}$	$\begin{array}{c} 0.047 \pm 0.004 \\ [1.2 \pm 0.10] \end{array}$	0.028 [0.70]
В	3528	$\begin{array}{c} 0.138 \pm 0.008 \\ [3.5 \pm 0.20] \end{array}$	$\begin{array}{c} 0.110 \pm 0.008 \\ [2.8 \pm 0.20] \end{array}$	$\begin{array}{c} 0.075 \pm 0.008 \\ [1.9 \pm 0.20] \end{array}$	$\begin{array}{c} 0.031 \pm 0.012 \\ [0.80 \pm 0.30] \end{array}$	$\begin{array}{c} 0.087 \pm 0.004 \\ [2.2 \pm 0.10] \end{array}$	0.028 [0.70]
С	6032	$\begin{array}{c} 0.236 \pm 0.012 \\ [6.0 \pm 0.30] \end{array}$	$\begin{array}{c} 0.126 \pm 0.012 \\ [3.2 \pm 0.30] \end{array}$	$\begin{array}{c} 0.098 \pm 0.012 \\ [2.5 \pm 0.30] \end{array}$	$\begin{array}{c} 0.051 \pm 0.012 \\ [1.3 \pm 0.30] \end{array}$	$\begin{array}{c} 0.087 \pm 0.004 \\ [2.2 \pm 0.10] \end{array}$	0.039 [1.0]
D	7343	0.287 ± 0.012 [7.3 ± 0.30]	0.170 ± 0.012 [4.3 ± 0.30]	$\begin{array}{c} 0.110 \pm 0.012 \\ [2.8 \pm 0.30] \end{array}$	$\begin{array}{c} 0.051 \pm 0.012 \\ [1.3 \pm 0.30] \end{array}$	$\begin{array}{c} 0.095 \pm 0.004 \\ [2.4 \pm 0.10] \end{array}$	0.039 [1.0]
E	7343H	0.287 ± 0.012 [7.3 ± 0.30]	$\begin{array}{c} 0.170 \pm 0.012 \\ [4.3 \pm 0.30 \end{array}$	$\begin{array}{c} 0.158 \pm 0.012 \\ [4.0 \pm 0.30] \end{array}$	$\begin{array}{c} 0.051 \pm 0.012 \\ [1.3 \pm 0.30] \end{array}$	$\begin{array}{c} 0.095 \pm 0.004 \\ [2.4 \pm 0.10] \end{array}$	0.039 [1.0]
Р	2012	$\begin{array}{c} 0.079 \pm 0.010 \\ [2.0 \pm 0.25] \end{array}$	$\begin{array}{c} 0.053 \pm 0.008 \\ [1.35 \pm 0.20] \end{array}$	$\begin{array}{c} 0.053 \pm 0.008 \\ [1.35 \pm 0.20] \end{array}$	$\begin{array}{c} 0.020 \pm 0.008 \\ [0.52 \pm 0.20] \end{array}$	$\begin{array}{c} 0.047 \pm 0.004 \\ [1.2 \pm 0.10] \end{array}$	0.012 [0.3]



	4	V	6.3	s V	10	V	16	16 V		20 V		V	35	δV	50	V
μF	Std.	Ext.	Std.	Ext.	Std.	Ext.	Std.	Ext.	Std.	Ext.	Std.	Ext.	Std.	Ext.	Std.	Ext.
0.10													A		A	
0.15													Α		В	Α
0.22													Α		В	A
0.33													Α		В	Α
0.47											Α		В	Α	B/C	A
0.68									A		Α		В	Α	С	В
1.0					Р		A/P		A		В	A	В	Α	С	В
1.5			A		Α		Α		Α		В	Α	С	В		С
2.2			A		A/P		A/B		В	Α	В	Α	С	В	D	C/D*
3.3	Α		A/P		A/P		A/B		В	Α	С	В	С	В	D	С
4.7	Α		A/B/P		A/B/P		В	Α	B/C	Α	С	В	D	С	D	
6.8	A		A/B/P		В	Α	B/C	Α	С	В	С	В	D	C*		D/E
10	A/B/P		B/C/P	A	B/C	Α	С	A*/B	С	В	D	С	D			E
15	B/P	Α	B/C	А	С	A/B	С	В	D	B/C	D	C*		D/E		
22	B/C/P	Α	С	A/B	С	A*/B	D	B/C	D	С		D		E		
33	С	A/B	С	A*/B	D	B/C	D	B*/C	D	C*		D/E				
47	С	A*/B	D	B/C	D	B/C	D	С		D/E						
68	D	B/C	D	B*/C	D	B*/C*		D		D/E						
100	D	B/C	D/E	B*/C		C*/D		D/E		E						
150	D	B*/C	E	C*/D		D/E		D*/E								
220	E	C*/D		D/E		D*/E										
330		D/E		D/E		E*										
470		D/E		E												
680		E*														

*Preliminary values, contact factory for availability.





293D

Vishay Sprague

STANDARD/EXTENDED RATINGS

			Max. DC Leakage	Max. DF @ + 25°C	Max. ESR @ + 25°C	Max. RIPPLE 100kHz
CAPACITANCE (μF)	CASE CODE	PART NUMBER	@ + 25°C (μ A)	120 Hz (%)	100kHz (Ohms)	Irms (Amps)
	4 WVD	C @ + 85°C, SURGE = 5.2 \				(Anipo)
3.3	А	293D335X 004A2	0.5	6	7.6	0.10
4.7	A	293D475X_004A2_	0.5	6	6.3	0.11
6.8	A	293D685X_004A2_	0.5	6	5.5	0.12
10	A	293D106X_004A2_	0.5	6	5.1	0.12
10	B P	293D106X_004B2_	0.5	6	3.5	0.16
10 15	A	293D106X_004P2_ 293D156X_004A2	0.5 0.6	6 6	N/A 3.4	0.085 0.15
15	B	293D156X_004B2	0.6	6	2.9	0.17
15	P	293D156X_004P2_	0.6	6	N/A	0.085
22	Α	293D226X_004A2_	0.9	6	2.9	0.16
22	В	293D226X_004B2_	0.9	6	2.5	0.18
22	C	293D226X_004C2_	0.9	6	1.8	0.25
22 33	P A	293D226X_004P2_ 293D336X_004A2	0.9 1.3	6 6	N/A 2.9	0.085 0.16
33	B	293D336X_004A2_ 293D336X_004B2	1.3	6	2.9	0.10
33	Č	293D336X_004C2	1.3	6	1.8	0.25
47	B	293D476X 004B2	1.9	6	1.9	0.21
47	С	293D476X_004C2_	1.9	6	1.8	0.25
68	В	293D686X_004B2_	2.7	6	1.9	0.21
68	c	293D686X_004C2_	2.7	6	1.4	0.28
68 100	D B	293D686X_004D2_	2.7 4.0	6 8	0.8 1.8	0.43 0.22
100	Č	293D107X_004B2_ 293D107X_004C2	4.0	6	0.8	0.22
100	D	293D107X_004D2	4.0	6	0.7	0.46
150	č	293D157X 004C2	6.0	8	0.7	0.40
150	D	293D157X_004D2_	6.0	8	0.6	0.50
220*	C*	293D227X_004C2_*	8.8*	8*	0.7*	0.40*
220	D	293D227X_004D2_	8.8	8	0.6	0.50
220	E D	293D227X_004E2_	8.8	8	0.5	0.57
330 330	E	293D337X_004D2_ 293D337X_004E2_	13.2 13.2	8 8	0.6 0.5	0.50 0.57
470	Ď	293D477X_004D2	18.8	10	0.6	0.50
470*	Ē*	293D477X_004E2_*	18.8*	10*	0.5*	0.57*
680*	Ē*	293D687X_004E2_*	27.2*	12*	0.5*	0.57*
	6.3 W	VDC @ + 85°C, SURGE = 8	V 4 WVDC @	⊉ + 125°C, SURG	E = 5 V	
2.2	А	293D225X_6R3A2_	0.5	6	7.6	0.10
3.3	A	293D335X_6R3A2_	0.5	6	6.3	0.11
3.3 4.7	P	293D335X_6R3P2_	0.5	6 6	N/A 5.5	0.085 0.12
4.7	A P	293D475X_6R3A2_ 293D475X_6R3P2	0.5 0.5	6	0.5 N/A	0.085
6.8	Å	293D685X_6R3A2_	0.5	6	5.0	0.12
6.8	B	293D685X_6R3B2_	0.5	6	3.4	0.16
6.8	Р	293D685X_6R3P2_	0.5	6	N/A	0.085
10	A	293D106X_6R3A2_	0.6	6	3.4 2.9	0.15
10 10	B P	293D106X_6R3B2_ 293D106X_6R3P2	0.6 0.6	6 6	2.9 N/A	0.17 0.085
15	A	293D156X 6R3A2	0.0	6	2.9	0.16
15	B	293D156X_6R3B2_	0.9	6	2.5	0.18
15	С	293D156X_6R3C2_	0.9	6	1.8	0.25
22	A	293D226X_6R3A2_	1.3	6	2.9	0.16
22	B	293D226X_6R3B2_	1.3	6 6	2.0 1.8	0.21 0.25
22 33	С В	293D226X_6R3C2_ 293D336X_6R3B2	1.3 2.0	6	1.8 1.9	0.25 0.21
33	C	293D336X_6R3C2	2.0	6	1.5	0.27
47	В	293D476X_6R3B2_	2.8	6	1.9	0.21
47	С	293D476X_6R3C2_	2.8	6	1.4	0.28
47	D	293D476X_6R3D2_	2.8	6	0.8	0.43
68* 68	B*	293D686X_6R3B2_*	4.1*	6* 6	1.8* 0.8	0.22* 0.37
68	C D	293D686X_6R3C2_ 293D686X_6R3D2	4.1 4.1	6	0.7	0.46
100	c	293D107X 6R3C2	6.0	6	0.8	0.37
100	D	293D107X_6R3D2_	6.0	6	0.7	0.46
150*	C*	293D157X_6R3C2_*	9.0*	8*	0.7*	0.40*
150	D	293D157X_6R3D2_	9.0	8	0.6	0.50
150 220	E	293D157X_6R3E2_	9.0	8 8	0.5 0.6	0.57
220 220	D E	293D227X_6R3D2_ 293D227X_6R3E2_	13.2 13.2	8 8	0.6	0.50 0.57
330	D	293D337X 6R3D2	19.8	8	0.6	0.50
330	Ĕ	293D337X_6R3E2_	19.8	8	0.5	0.57
470*	Ē*	293D477X_6R3E2_*	28.2*	10*	0.5*	0.57*



STANDARD/EXTENDED RATINGS

		·	Max. DC	Max. DF	Max. ESR	Max. RIPPLE
CAPACITANCE	CASE		Leakage @ + 25°C	@ + 25°C 120 Hz	@ + 25°C 100kHz	100kHz Irms
(μ F)	CODE	PART NUMBER	_ (μ Α)	(%)	(Ohms)	(Amps)
	10 W\	/DC @ + 85°C, SURGE = 1	3 V 7 WVDC	@ + 125°C, SURO	àE = 8 V	
1.0	Р	293D105X_010P2_	0.5	6	N/A	0.07
1.5	A	293D155X_010A2_	0.5	6	8.0	0.10
2.2	A	293D225X_010A2_	0.5	6	6.3	0.11
2.2	Р	293D225X_010P2_	0.5	6	N/A	0.07
3.3	A	293D335X_010A2_	0.5	6	5.5	0.12
3.3	P	293D335X_010P2_	0.5	6	N/A	0.07
4.7	A	293D475X_010A2_	0.5	6	5.0	0.12
4.7	B	293D475X_010B2_	0.5	6	3.4	0.16
4.7 6.8	P	293D475X_010P2_	0.5 0.7	6 6	N/A	0.07 0.13
6.8	A B	293D685X_010A2_ 293D685X_010B2	0.7	6	4.2 2.9	0.17
10	A	293D106X_010B2_	1.0	6	2.9 3.4	0.15
10	B	293D106X_010B2	1.0	6	2.5	0.18
10	C	293D106X_010C2	1.0	6	1.8	0.25
15	Ă	293D156X 010A2	1.5	ĕ	2.9	0.16
15	B	293D156X 010B2	1.5	ő	2.0	0.21
15	B C	293D156X_010C2_	1.5	6	1.8	0.25
22	B	293D226X_010B2_	2.2	6	1.9	0.21
22	B C B C D	293D226X_010C2_	2.2	6	1.5	0.27
33	В	293D336X_010B2_	3.3	6	1.9	0.21
33	С	293D336X_010C2_	3.3	6	1.4	0.28
33	D	293D336X_010D2_	3.3	6	0.8	0.43
47	В	293D476X_010B2_	4.7	6	1.8	0.22
47	C D	293D476X_010C2_	4.7	6	1.1	0.32
47	D	293D476X_010D2_	4.7	6	0.7	0.46
68*	C*	293D686X_010C2_*	6.8*	6*	1.0*	0.33*
68	D	293D686X_010D2_	6.8	6	0.7	0.46
100*	C*	293D107X_010C2_*	10*	8*	0.9*	0.35*
100	D	293D107X_010D2_	10	8	0.6	0.50
150	D	293D157X_010D2_	15	8	0.6	0.50
150	E	293D157X_010E2_	15	8	0.5	0.57
220*	D*	293D227X_010D2_*	22* 22	8* 8	0.6*	0.50*
220 330*	E E*	293D227X_010E2_ 293D337X_010E2_*	22 33*	o 10*	0.5 0.5*	0.57 0.57*
000				-		0.07
		DC @ + 85°C, SURGE = 20				
1.0	A	293D105X_016A2_	0.5	4	9.3	0.09
1.0	Р	293D105X_016P2_	0.5	4	N/A	0.07
1.5	Α	293D155X 016A2	0.5	6	6.7	0.11
2.2	Α	293D225X_016A2_	0.5	6	5.9	0.11
2.2	В	293D225X_016B2_	0.5	6	4.6	0.14
3.3	Ā	293D335X 016A2	0.5	6	5.0	0.12
3.3	B					
4.7		293D335X_016B2_	0.5	6	3.5	0.16
	A	293D475X_016A2_	0.8	6	5.0	0.12
4.7	В	293D475X_016B2_	0.8	6	2.9	0.17
6.8	Α	293D685X_016A2_	1.1	6	4.2	0.13
6.8	В	293D685X_016B2_	1.1	6	2.5	0.18
6.8	С	293D685X_016C2_	1.1	6	1.9	0.24
10*	A *	293D106X 016A2 *	1.6*	6*	3.0*	0.16*
10	В	293D106X_016B2_	1.6	6	2.0	0.21
10	c	293D106X_016C2	1.6	6	1.8	0.25
15	B	293D106X_016C2_ 293D156X_016B2				
15	0		2.4	6	2.0	0.21
	С	293D156X_016C2_	2.4	6	1.5	0.27
22	В	293D226X_016B2_	3.5	6	1.9	0.21
22	С	293D226X_016C2_	3.5	6	1.4	0.28
22	D	293D226X_016D2_	3.5	6	0.8	0.43
33*	B*	293D336X 016B2 *	5.3*	6*	1.8*	0.22*
33	С	293D336X 016C2	5.3	6	1.1	0.32
33	D	293D336X_016D2_	5.3	6	0.7	0.46
47	C		7.5	6		
47		293D476X_016C2_			1.0	0.33
	D	293D476X_016D2_	7.5	6	0.7	0.46
68	D	293D686X_016D2_	10.9	6	0.6	0.50
100	D	293D107X_016D2_	16	8	0.6	0.50
100	E	293D107X_016E2_	16	8	0.6	0.52
100						

*Preliminary values, contact factory for availability. For 10% tolerance, specify "9"; for 20% tolerance, change to "0". Extended Range ratings in **bold print**.



293D

Vishay Sprague

CAPACITANCE (μF)	CASE CODE	PART NUMBER	Max. DC Leakage @ + 25°C (μΑ)	Max. DF @ + 25°C 120 Hz (%)	Max. ESR @ + 25°C 100kHz (Ohms)	Max. RIPPLE 100kHz Irms (Amps)
	20 WVI	DC @ + 85°C, SURGE = 26			. ,	(,
0.68	A .	293D684X 020A2	0.5	4	10	0.09
1.0	A	293D105X 020A2_	0.5	4	8.4	0.09
1.5	A	293D105X_020A2_ 293D155X_020A2_	0.5	6	6.3	0.09
2.2	A	293D135X_020A2_ 293D225X_020A2_	0.5	6	5.9	0.11
2.2	В	293D225X_020B2	0.5	6	3.5	0.16
3.3	A	293D335X 020A2	0.7	6	5.9	0.10
3.3	В	293D335X 020B2	0.7	6	3.0	0.17
4.7	Ā	293D475X 020A2	0.9	6	5.0	0.12
4.7	В	293D475X 020B2	0.9	6	2.9	0.17
4.7	С	293D475X_020C2_	0.9	6	2.3	0.22
6.8	В	293D685X 020B2	1.4	6	2.5	0.18
6.8	С	293D685X 020C2	1.4	6	1.9	0.24
10	в	293D106X_020B2_	2.0	6	2.5	0.18
10	С	293D106X_020C2_	2.0	6	1.7	0.25
15	В	293D156X_020B2_	3.0	6	2.3	0.19
15	С	293D156X_020C2_	3.0	6	1.5	0.27
15	D	293D156X_020D2_	3.0	6	0.9	0.41
22	С	293D226X_020C2_	4.4	6	1.1	0.32
22	D	293D226X_020D2_	4.4	6	0.7	0.46
33*	C*	293D336X_020C2_*	6.6*	6*	1.0*	0.33*
33	D	293D336X_020D2_	6.6	6	0.7	0.46
47	D	293D476X_020D2_	9.4	6	0.7	0.46
47	E	293D476X_020E2_	9.4	6	0.6	0.52
68	D	293D686X_020D2_	13.6	6	0.7	0.46
68	E	293D686X_020E2_	13.6	6	0.6	0.52
100	E	293D107X_020E2_	20.0	8	0.5	0.57
	25 WVI	DC @ + 85°C, SURGE = 32	V 17 WVDC	@ + 125°C, SURG	GE = 20 V	
0.47	А	293D474X_025A2_	0.5	4	12	0.08
0.68	А	293D684X 025A2	0.5	4	8.4	0.09
1.0	Α	293D105X_025A2_	0.5	4	7.6	0.10
1.0	В	293D105X_025B2_	0.5	4	5.0	0.13
1.5	A	293D155X 025A2	0.5	6	6.7	0.11
1.5	В	293D155X_025B2_	0.5	6	4.6	0.14
2.2			0.5 0.6	6	6.3	0.14 0.11
	A	293D225X_025A2_				
2.2	B	293D225X_025B2_	0.6	6	3.8	0.15
3.3	В	293D335X_025B2_	0.8	6	3.1	0.17
3.3	С	293D335X_025C2_	0.8	6	2.3	0.22
4.7	В	293D475X_025B2_	1.2	6	2.8	0.17
4.7	С	293D475X_025C2_	1.2	6	2.0	0.24
6.8	В	293D685X_025B2_	1.7	6	2.4	0.19
6.8	С	293D685X_025C2_	1.7	6	1.7	0.25
10	С	293D106X_025C2_	2.5	6	1.5	0.27
10	D	293D106X_025D2_	2.5	6	1.0	0.39
15*	C*	293D156X_025C2_*	3.8*	6*	1.2*	0.30*
15	D	 293D156X_025D2_	3.8	6	0.8	0.43
22	D	293D226X_025D2_	5.5	6	0.7	0.46
33	D	293D336X_025D2_	8.3	6	0.7	0.46
~~~	-	TOODOON_OFORF	0.0	-	0.1	0.40

**Preliminary values, contact factory for availability. For 10% tolerance, specify "9"; for 20% tolerance, change to "0". Extended Range ratings in bold print.



CAPACITANCE (μF)	CASE CODE	PART NUMBER	Max. DC Leakage @ + 25°C (μA)	Max. DF @ + 25°C 120 Hz (%)	Max. ESR @ + 25°C 100kHz (Ohms)	Max. RIPPLE 100kHz Irms (Amps)
	35 WV	DC @ + 85°C, SURGE = 46	V 23 WVDC @	@ + 125°C, SURG	E = 28 V	
0.10	А	293D104X 035A2	0.5	4	20	0.06
0.15	А	293D154X_035A2_	0.5	4	18	0.07
0.22	А	293D224X_035A2	0.5	4	15	0.07
0.33	А	293D334X_035A2_	0.5	4	13	0.08
0.47	Α	293D474X_035A2_	0.5	4	10	0.09
0.47	В	293D474X_035B2_	0.5	4	8	0.10
0.68	Α	293D684X_035A2_	0.5	4	7.6	0.10
0.68	В	293D684X_035B2_	0.5	4	6.5	0.11
1.0	Α	293D105X_035A2	0.5	4	7.5	0.10
1.0	В	293D105X_035B2_	0.5	4	5.0	0.13
1.5	В	293D155X_035B2_	0.5	6	4.2	0.14
1.5	С	293D155X 035C2	0.5	6	3.8	0.17
2.2	В	293D225X 035B2	0.8	6	3.8	0.15
2.2	С	293D225X 035C2	0.8	6	2.9	0.20
3.3	В	293D335X_035B2_	1.2	6	3.5	0.16
3.3	С	293D335X 035C2	1.2	6	2.1	0.23
4.7	С	293D475X_035C2_	1.6	6	1.9	0.24
4.7	D	293D475X 035D2	1.6	6	1.3	0.34
6.8*	C*	293D685X 035C2 *	2.4*	6*	1.8*	0.25*
6.8	D	293D685X 035D2	2.4	6	1.1	0.37
10	D	293D106X 035D2	3.5	6	0.8	0.43
15	D	293D156X 035D2	5.3	6	0.7	0.46
15	E	293D156X 035E2	5.3	6	0.7	0.49
22	Е	293D226X_035E2_	7.7	6	0.6	0.52
	50 WV	DC @ + 85°C, SURGE = 65	V33 WVDC (	@ + 125°C, SURG	E = 40 V	
0.10	А	293D104X 050A2	0.5	4	19	0.06
0.15	Α	293D154X_050A2_	0.5	4	17	0.07
0.15	В	293D154X 050B2	0.5	4	14	0.08
0.22	Ā	293D224X_050A2_	0.5	4	15	0.07
0.22	В	293D224X 050B2	0.5	4	12	0.08
0.33	Ā	293D334X 050A2	0.5	4	14	0.07
0.33	В	293D334X 050B2	0.5	4	10	0.09
0.47	Ā	293D474X 050A2	0.5	4	12	0.08
0.47	В	293D474X_050B2_	0.5	4	8.4	0.10
0.47	C	293D474X_050C2_	0.5	4	6.7	0.13
0.68	В	293D684X_050B2_	0.5	4	7.6	0.11
0.68	С	293D684X 050C2	0.5	4	5.9	0.14
1.0	В	293D105X_050B2_	0.5	4	6.7	0.11
1.0	C	293D105X_050C2_	0.5	4	4.6	0.16
1.5	č	293D155X 050C2	0.8	6	3.4	0.18
2.2	c	293D225X_050C2_	1.1	6	2.9	0.20
2.2	D	293D225X_050D2_	1.1	6	2.1	0.27
3.3	c	293D335X 050C2	1.7	6	2.5	0.21
3.3	D	293D335X_050D2_	1.7	6	1.7	0.30
4.7	D	293D475X_050D2_	2.4	6	1.2	0.37
6.8	D	293D685X_050D2_	3.4	6	0.9	0.41
6.8	E	293D685X_050E2_	3.4	6	0.9	0.43
10	E	293D106X_050E2_	5.0	6	0.8	0.45

**Preliminary values, contact factory for availability. For 10% tolerance, specify "9"; for 20% tolerance, change to "0". Extended Range ratings in bold print.



### **PERFORMANCE CHARACTERISTICS**

- 1. **Operating Temperature:** Capacitors are designed to operate over the temperature range 55°C to + 85°C.
- **1.1** Capacitors may be operated to + 125°C with voltage derating to two-thirds the + 85°C rating.

+ 85°C	Rating	+ 125°C Rating				
Working Voltage (V)	Surge Voltage (V)	Working Voltage (V)	Surge Voltage (V)			
4	5.2	2.7	3.4			
6.3	8	4	5			
10	13	7	8			
16	20	10	12			
20	26	13	16			
25	32	17	20			
35	46	23	28			
50	65	33	40			


- 2. DC Working Voltage: The DC working voltage is the maximum operating voltage for continuous duty at the rated temperature.
- 3. Surge Voltage: The surge DC rating is the maximum voltage to which the capacitors may be subjected under any conditions, including transients and peak ripple at the highest line voltage.
- 3.1 Surge Voltage Test: Capacitors shall withstand the surge voltage applied in series with a 33 ohm  $\pm$  5% resistor at the rate of one-half minute on, one-half minute off, at + 85°C, for 1000 successive test cycles.
- 3.2 Following the surge voltage test, the dissipation factor and the leakage current shall meet the initial requirements; the capacitance shall not have changed more than  $\pm$  10%.
- 4. Capacitance Tolerance: The capacitance of all capacitors shall be within the specified tolerance limits of the normal rating.
- 4.1 Capacitance measurements shall be made by means of polarized capacitance bridge. The polarizing voltage shall be of such magnitude that there shall be no reversal of polarity due to the AC component. The maximum voltage applied to capacitors during measurement shall be 2 volts rms at 120 Hz at +25°C. If the AC voltage applied is less than one-half volt rms, no DC bias is required. Accuracy of the bridge shall be within  $\pm$  2%.

5. Capacitance Change With Temperature: The capacitance change with temperature shall not exceed the following percentage of the capacitance measured at + 25°C:

- 55°C	+ 85°C	+ 125°C
- 10%	+ 10%	+ 12%

- 6. Dissipation Factor: The dissipation factor, determined from the expression  $2\pi$ fRC, shall not exceed values listed in the Standard Ratings Table.
- 6.1 Measurements shall be made by the bridge method at, or referred to, a frequency of 120 Hz and a temperature of + 25°C.
- 7. Leakage Current: Capacitors shall be stabilized at the rated temperature for 30 minutes. Rated voltage shall be applied to capacitors for 5 minutes using a steady source of power (such as a regulated power supply) with 1000 ohm resistor connected in series with the capacitor under test to limit the charging current. Leakage current shall then be measured.

Note that the leakage current varies with temperature and applied voltage. See graph below for the appropriate adjustment factor.



## PERFORMANCE CHARACTERISTICS (Continued)

- 7.1 At + 25°C, the leakage current shall not exceed the value listed in the Standard Ratings Table.
- **7.2** At + 85°C, the leakage current shall not exceed 10 times the value listed in the Standard Ratings Table.
- **7.3** At + 125°C, the leakage current shall not exceed 12 times the value listed in the Standard Ratings Table.

#### 8. <u>ESR</u>

- 8.1 ESR (Equivalent Series Resistance) shall not exceed the values listed in the Ratings Table.
  Measurement shall be made by the bridge method at a frequency of 100kHz and a temperature of +25°C.
- Life Test: Capacitors shall withstand rated DC voltage applied at + 85°C or two-thirds rated voltage applied at + 125°C for 2000 hours.
- **9.1** Following the life test, the dissipation factor shall meet the initial requirement; the capacitance change shall not exceed  $\pm$  10%; the leakage current shall not exceed 125% of the initial requirement.
- **10.** Vibration Tests: Capacitors shall be subjected to vibration tests in accordance with the following criteria.
- **10.1** Capacitors shall be secured for test by means of a rigid mounting using suitable brackets.
- **10.2** Low Frequency Vibration: Vibration shall consist of simple harmonic motion having an amplitude of 0.03" [0.76mm] and a maximum total excursion of 0.06" [1.52mm], in a direction perpendicular to the major axis of the capacitors.
- **10.2.1** Vibration frequency shall be varied uniformly between the approximate limits of 10 Hz to 55 Hz during a period of approximately one minute, continuously for 1.5 hours.
- **10.2.2** An oscilloscope or other comparable means shall be used in determining electrical intermittency during the final 30 minutes of the test. The AC voltage applied shall not exceed 2 volts rms.
- **10.2.3** Electrical tests shall show no evidence of intermittent contacts, open circuits or short circuits during these tests.
- **10.2.4** Following the low frequency vibration test, capacitors shall meet the original requirements for capacitance, dissipation factor and leakage current.
- **10.3 High Frequency Vibration**: Vibration shall consist of a simple harmonic motion having an amplitude of

0.06"  $[1.52] \pm 10\%$  maximum total excursion or 20 g peak whichever is less.

- **10.3.1** Vibration frequency shall be varied logarithmically from 50 Hz to 2000 Hz and return to 50 Hz during a cycle period of 20 minutes.
- **10.3.2** The vibration shall be applied for 4 hours in each of 2 directions, parallel and perpendicular to the major axis of the capacitors.
- **10.3.3** Rated DC voltage shall be applied during the vibration cycling.
- **10.3.4** An oscilloscope or other comparable means shall be used in determining electrical intermittency during the last cycle. The AC voltage applied shall not exceed 2 volts rms.
- **10.3.5** Electrical tests shall show no evidence of intermittent contacts, open circuits or short circuits during these tests.
- **10.3.6** There shall be no mechanical damage to these capacitors as a result of these tests.
- **10.3.7** Following the high frequency vibration test, capacitors shall meet the original limits for capacitance, dissipation factor and leakage current.

#### 11. Acceleration Test:

- **11.1** Capacitors shall be rigidly mounted by means of suitable brackets.
- **11.2** Capacitors shall be subjected to a constant acceleration of 100 g for a period of 10 seconds in each of 2 mutually perpendicular planes.
- **11.2.1** The direction of motion shall be parallel to and perpendicular to the longitudinal axis of the capacitors.
- **11.3** Rated DC voltage shall be applied during acceleration test.
- 11.3.1 An oscilloscope or other comparable means shall be used in determining electrical intermittency during test. The AC voltage applied shall not exceed 2 volts rms.
- **11.4** Electrical tests shall show no evidence of intermittent contacts, open circuits or short circuits during these tests.
- **11.5** There shall be no mechancial damage to these capacitors as a result of these tests.
- **11.6** Following the acceleration test, capacitors shall meet the original limits for capacitance, dissipation factor and leakage current.



# **PERFORMANCE CHARACTERISTICS** (Continued)

- 12. Shock Test:
- 12.1 Capacitors shall be rigidly mounted by means of suitable brackets. The test load shall be distributed uniformly on the test platform to minimize the effects of unbalanced loads.
- **12.1.1** Test equipment shall be adjusted to produce a shock of 100 g peak with the duration of 6 mS and sawtooth waveform at a velocity change of 9.7 ft./sec.
- 12.2 Capacitors shall be subjected to 3 shocks applied in each of 3 directions corresponding to the 3 mutually perpendicular axes of the capacitors.
- **12.3** Rated DC voltage shall be applied during test.
- 12.3.1 An oscilloscope or other comparable means shall be used in determining electrical intermittency during tests. The replacement voltage applied shall not exceed 2 volts rms.
- **12.4** Electrical tests shall show no evidence of intermittent contacts, open circuits or short circuits during these tests.
- 12.5 There shall be no mechanical damage to these capacitors as a result of these tests.
- 12.6 Following the shock test, capacitors shall meet the original limits for capacitance, dissipation factor and I leakage current.

#### 13. Moisture Resistance:

- 13.1 Capacitors shall be subjected to temperature cycling at 90% to 95% relative humidity, from + 25°C to +65°C to + 25°C (+ 10°C, - 2°C) over a period of 8 hours per cycle for 1000 hours.
- **13.2** Following the moisture resistance test, the leakage current and dissipation factor shall meet the initial requirements, and the change in capacitance shall not exceed  $\pm 10\%$ .

#### 14. **Thermal Shock:**

- 14.1 Capacitors shall be conditioned prior to temperature cycling for 15 minutes at +  $25^{\circ}$ C, at less than 50% relative humidity and a barometric pressure at 28 to 31"
- **14.2** Capacitors shall be subjected to thermal shock in a cycle of exposure to ambient air at : - 55°C (+ 0°C,- 5°C) for 30 minutes, then
- - +  $25^{\circ}C$  (+10°C, 5°C) for 5 minutes, then

+ 125°C (+ 3°C, - 0°C) for 30 minutes, then +  $25^{\circ}C$  (+  $10^{\circ}C$ , -  $5^{\circ}C$ ) for 5 minutes for 5 cycles.

- 14.3 Capacitors shall show no evidence of harmful or extensive corrosion, obliteration of marking or other visible damage.
- 14.4 Following the thermal shock test, capacitors shall meet the original requirements for leakage current and dissipation factor. Capacitance change shall not exceed  $\pm$  5% of the original measured value.

#### 15. Soldering Compatibility:

- 15.1 Resistance to Solder Heat: Capacitors will withstand exposure to + 260°C + 5°C for 10 seconds.
- **15.1.1** Following the resistance to soldering heat test, capacitance, dissipation factor and DC leakage current shall meet the initial requirement.
- 15.2 Solderability: Capacitors will meet the solderability requirements of ANSI/J-STD-002, Test B (MIL-STD-202, method and test S.)
- 16. Terminal Strength: Per UEC-384-3, minimum of 5N shear force.
- 17. Environmental: Mercury, CFC and ODS materials are not used in the manufacture of these capacitors.
- 18. Flammability: Encapsulant materials meet UL94 V0 with an oxygen index of 32%.
- 19. Capacitor Failure Mode: The predominant failure mode for solid tantalum capacitors is increased leakage current resulting in a shorted circuit. Capacitor failure may result from excess forward or reverse DC voltage, surge current, ripple current, thermal shock or excessive temperature.

The increase in leakage is caused by a breakdown of the Ta₂O₅ dielectric. For additional information on leakage failure of solid tantalum chip capacitors, refer to Vishay Sprague Technical Paper, "Leakage Failure Mode in Solid Tantalum Chip Capacitors."

20. Surge Current: All D and E case code 293D capacitors are 100% surge current tested at + 25°C and rated voltage. The total series circuit resistance is 0.5 ohms. Each charge cycle of 0.10 seconds is followed by a discharge cycle of 0.10 seconds. Three surge cycles are applied. Each capacitor is tested individually to maximize the peak charging current.



## **GUIDE TO APPLICATION**

1. **A-C Ripple Current:** The maximum allowable ripple current shall be determined from the formula:

$$I_{\rm rms} = \sqrt{\frac{P}{R_{\rm ESR}}}$$

where,

P = Power Dissipation in Watts @ + 25°C as given in the table in Paragraph Number 5 (Power Dissipation).

R_{ESR} = The capacitor Equivalent Series Resistance at the specified frequency.

2. A-C Ripple Voltage: The maximum allowable ripple voltage shall be determined from the formula:

$$V_{rms} = Z \sqrt{\frac{P}{R_{ESR}}}$$

or, from the formula:

$$V_{rms} = I_{rms} \times Z$$

where,

P = Power Dissipation in Watts @ + 25°C as given in the table in Paragraph Number 5 (Power Dissipation).

R_{ESR} = The capacitor Equivalent Series Resistance at the specified frequency.

- Z = The capacitor impedance at the specified frequency.
- 2.1 The sum of the peak AC voltage plus the DC voltage shall not exceed the DC voltage rating of the capacitor.
- **2.2** The sum of the negative peak AC voltage plus the applied DC voltage shall not allow a voltage reversal exceeding 10% of the DC rating at + 25°C.
- Reverse Voltage: These capacitors are capable of withstanding peak voltages in the reverse direction equal to 10% of the DC rating at + 25°C, 5% of the DC rating at + 85°C and 1% of the DC rating at +125°C.
- 4. **Temperature Derating**: If these capacitors are to be operated at temperatures above + 25°C, the permissible rms ripple current or voltage shall be calculated using the derating factors as shown:

Temperature	Derating Factor
+ 25°C	1.0
+ 85°C	0.9
+ 125°C	0.4

5. **Power Dissipation**: Power dissipation will be affected by the heat sinking capability of the mounting surface. Non-sinusoidal ripple current may produce heating effects which differ from those shown. It is

important that the equivalent *lrms* value be established when calculating permissible operating levels. (Power Dissipation calculated using  $+ 25^{\circ}$ C temperature rise.)

Case Code	Maximum Permissible Power Dissipation @ + 25°C (Watts) in free air
А	0.075
В	0.085
С	0.110
D	0.150
E	0.165
Р	0.025


6. Printed Circuit Board Materials: Type 293D capacitors are compatible with commonly used printed circuit board materials (alumina substrates, FR4, FR5, G10, PTFE-fluorocarbon and porcelanized steel).

## 7. Attachment:

- 7.1 Solder Paste: The recommended thickness of the solder paste after application is  $.007" \pm .001"$  [.178mm  $\pm .025$ mm]. Care should be exercised in selecting the solder paste. The metal purity should be as high as practical. The flux (in the paste) must be active enough to remove the oxides formed on the metallization prior to the exposure to soldering heat. In practice this can be aided by extending the solder preheat time at temperatures below the liquidous state of the solder.
- 7.2 Soldering: Capacitors can be attached by conventional soldering techniques - vapor phase, infrared reflow, wave soldering and hot plate methods. The Soldering Profile chart shows maximum recomended time/temperature conditions for soldering. Attachment with a soldering iron is not recommended due to the difficulty of controlling temperature and time at temperature.
- 8. Cleaning (Flux Removal) After Soldering: The 293D is compatible with all commonly used solvents such as TES, TMS, Prelete, Chlorethane, Terpene and aqueous cleaning media. However, CFC/ODS products are not used in the production of these devices and are not recommended. Solvents containing methylene chloride or other epoxy solvents should be avoided since these will attack the epoxy encapsulation material.
- 8.1 When using ultrasonic cleaning, the board may resonate if the output power is too high. This vibration can cause cracking or a decrease in the adherence of the termination. DO NOT EXCEED 9W/I @ 40kHz for 2 minutes.




## **GUIDE TO APPLICATION (Continued)**




9. Recommended Mounting Pad Geometries: Proper mounting pad geometries are essential for successful solder connections. These dimensions are highly process sensitive and should be designed to minimize component rework due to unacceptable solder joints. The dimensional configurations shown are the recommended pad geometries for both wave and reflow soldering techniques. These dimensions are intended to be a starting point for circuit board designers and may be fine tuned if necessary based upon the peculiarities of the soldering process and/or circuit board design.

		ED MOUN						613]				
		Wave Sol	der Pads			Reflow Solder Pads						
<		D			<b>→</b>	←───		D			<b>→</b>	
←	в ——	→   ← c	→_	<del>&lt; −</del> E	$\rightarrow$		в ——	→   ← c	<b>→</b>	<b>←</b>	E →	
		+					/         	+				
		Pad Dime	ensions					Pad Dim	ensions			
Case Code	A (Min.)	B (Nom.)	C (Nom.)	D (Nom.)	E (Nom.)	Case Code	A (Min.)	B (Nom.)	C (Nom.)	D (Nom.)	E (Nom	
A	0.034 [0.87]	0.085 [2.15]	0.053 [1.35]	0.222 [5.65]	0.048 [1.23]	A	0.071 [1.80]	0.085 [2.15]	0.053 [1.35]	0.222 [5.65]	0.048 [1.23	
В	0.061 [1.54]	0.085 [2.15]	0.065 [1.65]	0.234 [5.95]	0.048 [1.23]	В	0.110 [2.80]	0.085 [2.15]	0.065 [1.65]	0.234 [5.95]	0.048 [1.23	
С	0.061 [1.54]	0.106 [2.70]	0.124 [3.15]	0.337 [8.55]	0.050 [1.28]	С	0.110 [2.80]	0.106 [2.70]	0.124 [3.15]	0.337 [8.55]	0.050 [1.28	
D	0.066 [1.68]	0.106 [2.70]	0.175 [4.45]	0.388 [9.85]	0.050 [1.28]	D	0.118 [3.00]	0.106 [2.70]	0.175 [4.45]	0.388 [9.85]	0.050 [1.28	
E	0.066 [1.68]	0.106 [2.70]	0.175 [4.45]	0.388 [9.85]	0.050 [1.28]	E	0.118 [3.00]	0.106 [2.70]	0.175 [4.45]	0.388 [9.85]	0.050 [1.28	
Ρ	0.034 [0.87]	0.085 [2.15]	0.053 [1.35]	0.222 [5.65]	0.048 [1.23]	Р	0.071 [1.80]	0.085 [2.15]	0.053 [1.35]	0.222 [5.65]	0.048	



TAPE SIZE	B ₁ (Max.)	D ₁ (Min.)	F	K (Max.)		W	A ₀ B ₀ K ₀	
8mm	0.165 [4.2]	0.039 [1.0]	$\begin{array}{c} 0.138 \pm 0.002 \\ [3.5 \pm 0.05] \end{array}$	0.094 [2.4]	$\begin{array}{c} 0.157 \pm 0.004 \\ [4.0 \pm 1.0] \end{array}$		<b>Notes:</b> $A_0B_0K_0$ are determined by component s The clearance between the component and cavity must be within 0.002" [0.05mm] minimur	
12mm	0.323 [8.2]	0.059 [1.5]	$\begin{array}{c} 0.217 \pm 0.002 \\ [5.5 \pm 0.05] \end{array}$	0.177 [4.5]	$\begin{array}{c} 0.315 \pm 0.004 \\ [8.0 \pm 1.0] \end{array}$	0.472 + 0.012	0.020" [0.50mm] maximum for 8mm tape and 0.0 [0.05mm] minimum to 0.026" [0.65mm] maxim for 12mm tape.	



Tape and Reel Specifications: All case codes are available on plastic embossed tape per EIA-481-1. Tape reeling per IEC 286-3 is also available. Standard reel diameter is 13" [330mm]. 7" [178mm] reels are available.

The most efficient packaging quantities are full reel increments on a given reel diameter. The quantities shown allow for the sealed empty pockets required to be in conformance with EIA-481-1. Reel size must be specified in the Vishay Sprague part number.

			Units Per Reel	
Case Code	Tape Width	Component Pitch	7'' [178mm] Reel	13'' [330mm] Reel
А	8mm	4mm	2000	9000
В	8mm	4mm	2000	8000
С	12mm	8mm	500	3000
D	12mm	8mm	500	2500
Е	12mm	8mm	400	1500
Р	8mm	4mm	3000	10000

