


LOC		DIST		REVISIONS			
CM		00		DESCRIPTION	DATE	OWN	APVD
R		REVISED PER EC		OG3B-1094-04	18JAN05	KW	SR

- PARTS COMPLY TO AMP SOLDERABILITY SPECIFICATION 109-11-3.
- CONTACT IS PLATED OVERALL WITH 0.00127 [.000050] NICKEL, THEN 0.00076 [.000030] GOLD OVER CONTACT LENGTH INDICATED AND MATTE TIN LEAD ON SOLDER TAIL END.
- CIRCUIT IDENTIFICATION CHARACTERS ARE ADJACENT TO THE INDICATED CAVITIES, BUT LOCATION AND ORIENTATION MAY DIFFER FROM PRINT.
- DIMENSIONS IN BRACKETS ARE IN INCHES.
- DRAIN HOLES LOCATED AS SHOWN. OPTIONAL CONSTRUCTION - ALL DRAIN HOLES LOCATED 90° AS SHOWN IN DETAIL A.
- CONTACT IS PLATED OVERALL WITH 0.00127 [.000050] NICKEL, THEN 0.00076 [.000030] GOLD OVER CONTACT LENGTH INDICATED AND MATTE TIN ON SOLDER TAIL END.



3-DIMENSIONAL MODEL
NTS

PHOSPHOR BRONZE, GOLD		NYLON,UL94V-0,WHITE	350792-3
PHOSPHOR BRONZE, GOLD		NYLON,UL94V-0,WHITE	350792-2
PHOSPHOR BRONZE, PRE-TIN		NYLON,UL94V-0,WHITE	350792-1
PIN CONTACT AND FINISH		HOUSING MATERIAL	PART NUMBER
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG B. LEWIS CHK R. SWING APVD M. TRULL PRODUCT SPEC	10-05-98 10-05-98 10-05-98 NAME
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± 0.13 [.005] 3 PLC ± - 4 PLC ± - ANGLES ± - FINISH ± -	10-05-98 10-05-98 10-05-98 10-05-98 10-05-98 10-05-98 10-05-98 10-05-98
MATERIAL SEE TABLE		WEIGHT -	SIZE A1
CUSTOMER DRAWING		SCALE 5:1	SHEET 1 OF 1
		REV R	RESTRICTED TO

